

WiseVial Desiccant Vial

Technical Data Sheet

Product No. 5676-100ml

Product structure: PP, Molecular sieve


• Product Specifications

Appearance

No foreign matter, odor, obvious bubbles, wrinkles, dirt and other defects on the surface

| | |
|--|---------------------------|
| Vial Outer Diameter (mm \ in) | 56.0±1.0 \ 2.205±0.039 |
| Height (mm \ in) | 76.0±1.0 \ 2.992±0.039 |
| Vial Inner Diameter (mm \ in) | 43.5±1.0 \ 1.713±0.039 |
| Vial Inside Height (mm \ in) | 70.5±1.0 \ 2.776±0.039 |
| Grammage (g/pcs. \ oz/pcs.) | 41.50±1.5 \ 1.465±0.053 |
| Desiccant Layer Weight (g/pcs. \ oz/ pcs.) | 21.25± 1.00 \ 0.750±0.035 |
| Moisture Adsorption Capacity (g/pcs.\ oz/pcs.) | ≥2.50 \ 0.088 |
| Total Residual Solvent (mg/pcs.) | ≤5.0 |
| Benzene Residue (Test Limit< 0.01mg/m²) | None detected |
| Heavy Metal (ppm) | ≤1 |
| TAMC (cfu/100cm²) | ≤1000 |
| TYMC (cfu/100cm²) | ≤100 |
| E.COLI (cfu/100cm²) | None detected |

• Pouch illustration



• Product Storage

Products should be kept in dry, clean and chemical-free warehouses. Prevent contact with acids and alkalis, and prevent damage to the outer packaging. Avoid sunlight and rain and snow, moisture-proof, fireproof.

Disclaimer: All the above information is based on the known information of the manufacturer and the test and test results. The dealer or user can decide the value of its performance index and the use of the product according to their own requirements. The applications, uses, operations, etc. are not specified, and users are responsible for their own uses and operations.